



CHEMICAL PRODUCTS - SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1. Identifier of the product:	SWO – 847X
Alternative names	Chemical family: mixture

1.2. Identified relevant uses of the substance or mixture and discouraged applications			
Intended use	: Demulsifier		
Method of application	: See the technical data sheet.		

1.3. Details of the supplier of the safety data sheet.

The name of the company	OILFLUX ™.
	Street Migdia 37, Level 7
	Girona, Spain. 17002
Emergency	
Emergency phone:	+34 695949325
	Oilflux ™
Customer service:	+34 695949325
Fax No:	+34 972215835

SECTION 2. HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Indication of danger	Category	Code	
Flammable Liquid	Category 3	H226	
Skin Irritation	Category 2	H315	
Serious eye irritation	Category 2A	H319	
Specific target organ toxicity – single exposure	Category 3	H336	
Aspiration Hazard	Category 1	H304	
Chronic aquatic toxicity	Category 2	H411	

OILFLUXTM TECHNICAL DEPARTMENT



2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :



Signal word

: WARNING

Dangerous components to be indicated on the label:

Solvent naphtha (petroleum), heavy arom. 1-3-5 trimethylbenzene

Hazard statements	H226 H315 H319 H336 H304 H411	Flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
Precautionary statements	: Prevention: P301+P310 P303+P361+P3! P304+P340	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 53 IF ON SKIN (or hair): Take off immediately all contamined clothing. Rinse skin with water/ shower IF INHALED: Remove person to fresh air and keep comfortable for breathing
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

Result of PBT and vPvB assessment. PBT: Not applicable. vPvB: Not applicable.

OILFLUX™ TECHNICAL DEPARTMENT



SECTION 3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.2 Mixtures

	Component	CAS #	%
DDBSA and Deriv	vates		
Skin Corr. 1C, H314;	Eye Dam. 1, H318 Acute Tox. 4, H302; Aquatic Chronic 3, H412	85536-14-7	1 - 5 %
1-3-5 trimethylbe	enzene		
Flam. Liq. 3, H226	STOT SE 3, H335; Skin Irrit. 2 H315; Eye Irrit. 2 H319; Aquatic	108-67-8	10 - 20 %
Chronic 2, H411	Asp. Tox. 1, H304.		
Heavy Aromatic I	Naphta		
Asp. Tox. 1, H304.	Aquatic.Chronic 2, H411 STOT SE 3, H336	64742-94-5	30 – 50 %

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

If inhaled	: In case of unconsciousness place patient stably in side position for transportation.	
In case of skin contact	: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If symptoms persist, call the doctor.	
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If symptoms persist, call the doctor.	
If swallowed	: If swallowed, call a poison control center or doctor immediately.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	: None known.	
4.3. Indication of any immediate medical attention and special treatment needed		
Treatment	: None known.	

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	 In case of fire hazardous decomposition products may be produced such as: Carbon oxides Do not use a solid water stream as it may scatter and spread fire.
5.3. Advice for firefighters	
Special protective equipment for Firefighter : In the event of fire, wear self-contained breathing apparatus.	
Further information	: Use water spray to cool unopened containers.

Prevent fire extinguishing water form contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment.	
6.2. Environmental precaution		
Environmental precautions	: Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13).	
6.4. Reference to other sections	: None.	

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling



Advice on safe handling	 Keep away from heat and sources of ignition. Do not use sparking tools. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. 	
Advice on protection against	: Normal measures for preventive fire protection fire and explosion.	
7.2. Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	: Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.	
Advice on common storage	: No special restrictions on storage with other products.	
Other data	: Stable under recommended storage conditions.	
7.3 Specific end use(s)		
Specific use(s)	: No data available.	

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

108-67-8 (1-3-5 Trimethylbenzene, 10 - 20 %) 64742-94-5 (Heavy Aromatic Naphta, 10 - 20 %)

8.2 Exposure controls

Personal protective equipment

Eye protection	: Tightly fitting sealed goggles
Hand protection	: Impervious gloves

Skin and body protection : Impervious clothing

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

OILFLUX™ TECHNICAL DEPARTMENT



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information basic physical and chemical properties

Appearance	: Liquid
Color	: Clear Yellow to Brown
Odor	: Aromatic
Odor threshold	: No data available
рН	: 4 - 6
Pour point	: No data available
Boiling point	: No data available
Decomposition temperature	: No data available
Flash Point	: ≥ 60°C
Evaporation rate	: No data available.
Flammability (solid, gas)	: No data available.
Upper explosion limit	: No data available.
Lower explosion limit	: No data available.
Vapor pressure	: No data available.
Relative vapour density	: No data available
Density	: 0,9 – 0,95 g/cm ³
Water Solubility	: Insoluble
Solubility in other solvents	: No data available.
Thermal descomposition	: No data available.
Viscosity, dynamic	: Wide Range
Viscosity, kinematic	: Wide Range

9.2. Other information

No data available.

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity No data available.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions Hazardous reactions: Stable under recommended storage conditions. (SECTION 7)

10.4. Conditions to avoid

Conditions to avoid: Keep away from heat and sources of ignition.

OILFLUX™ TECHNICAL DEPARTMENT



10.5. Incompatible materials:

Materials to avoid: Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous descomposition products: No data available.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation

Product: Causes skin irritation.

Serious eye damage/eye irritation Product: Causes serious eye irritation.

Respiratory or skin sensitization <u>Product:</u> May be fatal if swallowed and enters airways.

CMR effect (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

STOT – single exposure

Product: May cause drowsiness or dizziness.

STOT – repeated exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

- **12.1 Aquatic toxicity** : No further relevant information available.
- **12.2 Persistence and degradability** : Not easily biodegradable.
- **12.3 Bioaccumulative potential** : No further relevant information available.
- **12.4 Mobility in soil** : No further relevant information available.
- Ecotoxical effects : Toxic for fish

Recommended environmental indications



Water hazard class 2 (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking waterif even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

mPmB: Not applicable.

12.6 Other adverse effects

No further relevant information available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product

: Must not be disposed together with household garbage. Do not allow product to reach sewage system. The product should not be allowed to enter drains, water courses or the soil. : Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

14.1 Transport information

Uncleaned Packaging

UN number: 1993 UN proper shipping name SWO-DEMULSIFIER

14.2 United Nations Transport Official Designation:

• ADR	FLAMMABLE LIQUID, N.O.S (Solvent naphtha (petroleum), heavy arom. DDBSA and Derivates. 1-3- 5 trimethylbenzene. Alkoxylate Resins), 3, III, ENVIRONMENTALLY HAZARDOUS.
• IMDG	FLAMMABLE LIQUID, N.O.S (Solvent naphtha (petroleum), heavy arom. DDBSA and Derivates. 1-3- 5 trimethylbenzene. Alkoxylate Resins), 3, III, ENVIRONMENTALLY HAZARDOUS.
• IATA	FLAMMABLE LIQUID, N.O.S (Solvent naphtha (petroleum), heavy arom. DDBSA and Derivates. 1-3- 5 trimethylbenzene. Alkoxylate Resins), 3, III, ENVIRONMENTALLY HAZARDOUS
14.3 Transport hazard class: * ADR, IMDG, IATA	
Class:	3
14.4 Packing group: *ADR, IMDG, IATA	111

8 of 9

OILFLUXTM TECHNICAL DEPARTMENT



14.5 Environmental hazardous:

Product contains environmentally hazardous substances: Heavy Aromatic Naphta. DDBSA and derivates. 1-3-5 trimethylbenzene.

14.6 Special precautions for user:

Various hazardous Materials and objects.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

*REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and by which they are modified and repeal Directives 67/548 / EEC and 1999/45 / EC and amending Regulation (EC) No 1907/2006. *https://echa.europa.eu/es/information-on-chemicals/cl-inventory-database

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant Phrases

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H304	May be fatal if swallowed and enters airways.
H411	Toxic to aquatic life with long lasting effects

Abbreviations and acronyms:

Dodecyl benzene sulphonic acid
Agreement on Dangerous Goods by Road
International Maritime Code for Dangerous Goods
International Air Transport Association
Chemical Abstracts Service
Persistent, Bioaccumulative and toxic
very Persistent and very Bioaccumulative
Specific target organ toxicity – single exposure.

OILFLUX CAPITAL SL cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

9 of 9

OILFLUXTM TECHNICAL DEPARTMENT